

Cirkelsprinkler messing 3/4" udvendig gevind 4,0 x 2,4 mm type RC 130 HH (0630105)



TEKNISKE SPECIFIKATIONER

Type	RC 130 HH
Materiale	messing
Tilslutning	udvendig gevind
Dysestørrelse	4,0 x 2,4 mm
Kapacitet 3bar	1,49 m ³ /t
Kapacitet 4bar	1,71 m ³ /t
Kapacitet 5bar	1,85 m ³ /t
Størrelse	3/4"
Radius 3bar	15 m
Radius 4bar	15,2 m
Radius 5bar	15,8 m

Type RC 130 HH																	
4.0mm			4.0mm			4.0mm			4.0mm x 2.4mm			4.0mm x 2.4mm			4.0mm x 3.2mm		
Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
2.5	0.95	26.0	2.5	1.15	27.0	2.5	1.40	30.0	2.5	1.35	26.0	2.5	1.51	27.0	2.5	2.05	30.0
3.5	1.15	27.0	3.5	1.38	28.4	3.5	1.67	30.8	3.5	1.60	27.0	3.5	1.80	28.4	3.5	2.40	30.8
4.5	1.30	27.5	4.5	1.55	29.4	4.5	1.87	31.8	4.5	1.76	27.5	4.5	2.03	29.4	4.5	2.75	31.8

PRODUKTINFORMATION

Roterende hætte i plastik, der beskytter fjederen og gør sprinkleren egnet til frostsikring.

Genereret den: 24-05-2026

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>