Profec Regnvandsforsyningssystem 5bar sort DVGW type Mono rain smart S with self priming pump including smart control (7036638)



PROFEC

bevo
bringing water to life

TEKNISKE SPECIFIKATIONER

Farve	sort
Maks. Løftehøjde	42,5 m
Type	with self priming pump including smart control
Maks. temperatur	50 °C
Maks. flow rate	6.6 m^3/h
Type	Mono rain smart S
WebshopURL	https://www.bevo.com/da-dk/profec-regnvandsforsyningssystem-5bar-sort-dvgw-type-mono-rain-smart-s-with-self-priming-pump-including-smart-control-7036638
Tryk	5 bar

PRODUKTINFORMATION

Profec regnvandsforsyningsmanager mono med selvansugende pumpe er en komplet og kompakt husstation, der er designet til fuldautomatisk forsyning af regnvand fra en regnvandstank. Den er også udstyret til behovsbestemt drikkevandsopfyldning (EN 1717 / DIN 1988 / DVGW W540) i forbrugernettet, når regnvandsforsyningen er opbrugt. Denne regnvandsforsyningsmanager kan spare op til 40 % af elektriciteten og har et justerbart styretryk, skylleprogram, lækageadvarselssystem, temperaturovervågning og kan opdateres med fjernovervågning. Du kan tilslutte den til din pc eller mobiltelefon, og den omfatter automatisk tilbagestrømningsdetektion, automatisk overvågningsfunktion, tørløbsdetektion med automatisk start, niveauindikator, pumpestyring, Standby 2 W, H max. 45 m, og Q max. 110 l/min.

Genereret den: 02-11-2026

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
http://www.bevo.com

bevo
bringing water to life