

Cirkelsprinkler messing 3/4" indvendig gevind 4,0 mm type RC 130 HH (0699008)



TEKNISKE SPECIFIKATIONER

Type RC 130 HH

Materiale messing

Tilslutning indvendig gevind

Dysetørrelse 4,0 mm

Kapacitet 3bar 1,08 m³/t

Kapacitet 4bar 1,22 m³/t

Kapacitet 5bar 1,36 m³/t

Størrelse 3/4"

Radius 3bar 15 m

Radius 4bar 15,2 m

Radius 5bar 15,8 m

Type RC 130 HH																	
4.0mm			4.0mm			4.0mm			4.0mm x 2.4mm			4.0mm x 2.4mm			4.0mm x 3.2mm		
Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
2.5	0.95	26.0	2.5	1.15	27.0	2.5	1.40	30.0	2.5	1.35	26.0	2.5	1.55	27.0	2.5	2.05	30.0
3.5	1.15	27.0	3.5	1.38	28.4	3.5	1.67	30.8	3.5	1.60	27.0	3.5	1.80	28.4	3.5	2.40	30.8
4.5	1.30	27.5	4.5	1.55	29.4	4.5	1.87	31.8	4.5	1.76	27.5	4.5	2.03	29.4	4.5	2.75	31.8

PRODUKTINFORMATION

Roterende hætte i plastik, der beskytter fjederen og gør sprinkleren egnet til frostsikring.

Genereret den: 24-05-2026

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>