

# Sektorsprinkler aluminium 1 1/4" indvendig gevind 9,0 x 4,0 mm type Jolly (7023847)



# TEKNISKE SPECIFIKATIONER

Type	Jolly
Materiale	aluminium
Tilslutning	indvendig gevind
Anbefalet tryk	1,5 - 4 bar
Kapacitet 3bar	6,4 m <sup>3</sup> /t
Kapacitet 4bar	7,4 m <sup>3</sup> /t
Kapacitet 5bar	8,4 m <sup>3</sup> /t
Størrelse	1 1/4"
Vægt	1.28 kg
Maks. diameter	21.5 m
Dysestørrelse	9,0 x 4,0 mm
Radius 3bar	20 m
Radius 4bar	21,5 m
Radius 5bar	22 m

RC Jolly														
8,0mm x 4,0mm			9,0mm x 4,0mm			10,0mm x 4,0mm			12,0mm x 4,0mm			14,0mm x 4,0mm		
Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R	Bar	Q	R
3,0	5,2	16,5	3,0	6,4	20	3,0	7,8	21	3,0	10,9	23,5	3,0	14,4	24
4,0	6,0	21	4,0	7,9	21,5	4,0	9,0	22,5	4,0	12,6	26	4,0	16,2	27
5,0	6,6	23	5,0	9,0	24	5,0	10,2	23,2	5,0	14,6	28	5,0	18,6	29

# PRODUKTINFORMATION

Leveres med ekstra dyse 7 mm.

**Genereret den: 25-05-2026**

Bevo Nordic A/S  
Pakhusgården 54  
5000 Odense C  
Danmark  
+45 66 19 25 45  
[info@bevo.dk](mailto:info@bevo.dk)  
<http://www.bevo.com>