## Kreisregner Messing 3/4" Innengewinde 4,0 mm Typ RC 130 HH (0699008)





## **TECHNISCHE DATEN**

Тур	RC 130 HH					
Werkstoff	Messing					
Anschluss	Innengewinde					
Düsen	4,0 mm					
Capacity 3bar	1,08 m <sup>3</sup> /h					
Capacity 4bar	1,22 m <sup>3</sup> /h					
Capacity 5bar	1,36 m <sup>3</sup> /h					
Maß	3/4"					
Radius 3bar	15 m					
Radius 4bar	15,2 m					
Radius 5bar	15,8 m					

Type RC 130 HH																		
	4,0mm			4,4mm			4,8mm			4,0mm x 2,4mm			4,4mm x 2,4mm			4,8mm x 3,2mm		
	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
	2,5	0,95	26,0	2,5	1,15	27,0	2,5	1,40	30,0	2,5	1,35	26,0	2,5	1,55	27,0	2,5	2,05	30,0
	3,5	1,15	27,0	3,5	1,38	28,4	3,5	1,67	30,8	3,5	1,60	27,0	3,5	1,80	28,4	3,5	2,40	30,8
	45	130	27.5	45	1.55	29.4	45	1.87	31.8	45	1.76	27.5	4.5	2.03	20.4	45	2.75	31.8

## **PRODUKTINFORMATIONEN**

Regner mit drehbarer Kunststoffkappe zum Schutz der Feder. Besonders als Frostschutzregner geeignet.



## **Generiert am: 02.10.2025**

bevo Vertriebs GmbH Industriestraße 18 32602 VLOTHO-EXTER Deutschland +49 (0) 5228 959 0 info@bevo.com http://www.bevo.com

