Kreisregner Messing 3/4" Außengewinde 4,0 x 2,4 mm Typ RC 130 HH (0630105)





TECHNISCHE DATEN

Тур	RC 130 HH
Werkstoff	Messing
Anschluss	Außengewinde
Düsen	4,0 x 2,4 mm
Capacity 3bar	1,49 m ³ /h
Capacity 4bar	1,71 m ³ /h
Capacity 5bar	1,85 m ³ /h
Maß	3/4"
Radius 3bar	15 m
Radius 4bar	15,2 m
Radius 5bar	15,8 m

Type RC 130 HH																		
	4,0mm			4,4mm			4,8mm		4,0mm x 2,4mm			4,4mm x 2,4mm			4,8mm x 3,2mm			
	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
	2,5	0,95	26,0	2,5	1,15	27,0	2,5	1,40	30,0	2,5	1,35	26,0	2,5	1,55	27,0	2,5	2,05	30,0
	3,5	1,15	27,0	3,5	1,38	28,4	3,5	1,67	30,8	3,5	1,60	27,0	3,5	1,80	28,4	3,5	2,40	30,8
	45	130	27.5	45	1.55	79.4	45	1.87	31.8	45	1.76	27.5	45	2.03	20.4	45	2.75	31.8

PRODUKTINFORMATIONEN

Regner mit drehbarer Kunststoffkappe zum Schutz der Feder. Besonders als Frostschutzregner geeignet.



Generiert am: 02.10.2025

bevo Vertriebs GmbH Industriestraße 18 32602 VLOTHO-EXTER Deutschland +49 (0) 5228 959 0 info@bevo.com http://www.bevo.com

