

**Matarvattentank 3/4" x 1"  
utvändig gänga 230VAC  
BELGAQUA type Hecaton med  
Minisub & Presflo multi  
(7023561)**



# TEKNISKA SPECIFIKATIONER

|     |                                     |
|-----|-------------------------------------|
| Typ | Hecaton med Minisub & Presflo multi |
|-----|-------------------------------------|

|             |          |
|-------------|----------|
| Godkännande | BELGAQUA |
|-------------|----------|

|      |       |
|------|-------|
| Tank | 100 L |
|------|-------|

|            |                |
|------------|----------------|
| Anslutning | utvändig gänga |
|------------|----------------|

|          |          |
|----------|----------|
| Max flow | 80 L/min |
|----------|----------|

|      |        |
|------|--------|
| Volt | 230VAC |
|------|--------|

|      |               |
|------|---------------|
| Pump | Lelli Minisub |
|------|---------------|

|                 |         |
|-----------------|---------|
| Max arbetstryck | 4,6 bar |
|-----------------|---------|

|                 |                             |
|-----------------|-----------------------------|
| Kapacitetstryck | 3 m <sup>3</sup> /h @ 3 bar |
|-----------------|-----------------------------|

|                    |               |
|--------------------|---------------|
| Kontrollenhet pump | Presflo Multi |
|--------------------|---------------|

|                    |     |
|--------------------|-----|
| Variabel hastighet | Nej |
|--------------------|-----|

|         |           |
|---------|-----------|
| Storlek | 3/4" x 1" |
|---------|-----------|

## PRODUKTINFORMATION

Large break tank, suitable for floor Installation Flow rate: 3 - 5 m<sup>3</sup>/h Operating Pressure: 3 - 5 bar  
ON/OFF system integrated with dry running protector Integrated Mechanical float Provided with  
Multi - Impeller Submersible Pump with Pressure Controller Material Tank: PE

**Genererad den: 05/10/2025**

Bevo Nordic A/S  
Pakhusgården 54  
5000 Odense C  
Danmark  
+45 66 19 25 45  
[info@bevo.dk](mailto:info@bevo.dk)  
<http://www.bevo.com>