DAB jet-pump rostfritt stål 304 1" invändig gänga 8bar 5,1A 230VAC grön självsugande med tryckkontroll type JETINOX 82 Control D (7030930)



DAB
MAKING WATER EASY

bevo
bringing water to life

TEKNISKA SPECIFIKATIONER

Färg	grön
Material	rostfritt stål 304
Pump body	rostfritt stål 304
Material impeller 1	teknopolymer A
Modell	självsugande med tryckkontroll
Anslutning	invändig gänga
Volt	230VAC
Max temperatur	35 °C
Minste mellantemperatur (kontinuerlig)	0 °C
Tryck	1 "
Max omgivelsetemperatur	40 °C
Sug	1 "
Typ	JETINOX 82 Control D
MWC	47 m
Storlek	1"
WebshopURL	https://www.bevo.com/sv-se/dab-jet-pump-rostfritt-staal-304-1-invaendig-gaenga-8bar-5-1a-230vac-groen-


sjaelvsugande-med-tryckkontroll-type-jetinox-82-control-d-7030930


Effekt	0.6 kW
Ampere	5,1 A
Max flow rate	3.6 m^3/h
BEP Capacity	2.4
BEP Head	26.3
PORlh	30.9
PORhh	23.7
PORlq	1.7
PORhq	2.9


DIMENSIONER

Cb-1	270 mm
Cb-1	144 mm
Cl-1	122 mm
Cr-1	167 mm
Ct-1	239 mm
G	111 mm

H	197 mm
H	197 mm
L	406 mm
L	406 mm
LM	390 mm
Mr	207 mm
MW	165 mm
O	9 mm
W-1	174 mm
ØDi-1	1 "
ØDi-2	1 "







bevo
bringing water to life

PRODUKTINFORMATION

Installation: Horizontal, Fixed. Operating range: from 0.4 to 4.8 m3/h with head up to 53 metres. Suitable for pumping water with low levels of sand inpurities. Self priming centrifugal pumps with excellent suction capacity even when air bubbles are present.

Genererad den: 02/11/2026

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
http://www.bevo.com

bevo
bringing water to life