

Matarvattentank 3/4" x 1"
utvändig gänga 230VAC
BELGAQUA type Hydrobox 500
(7025398)



TEKNISKA SPECIFIKATIONER

Typ	Hydrobox 500
-----	--------------

Godkännande	BELGAQUA
-------------	----------

Anslutning	utvändig gänga
------------	----------------

Volt	230VAC
------	--------

Pump	Xilent X3
------	-----------

Tank	500 L
------	-------

Storlek	3/4" x 1"
---------	-----------

Max flow	120 L/min
----------	-----------

Kapacitetstryck	4.5 m3/h @ 5 bar
-----------------	------------------

PRODUKTINFORMATION

Large break tank suitable for floor Installation Flow rate: 3.4 m3/h at 3 bar ON/OFF system integrated with dry running protector and alarms Provided with Xilent X3 Pump with Pressure Controller Unit can be used as a boosterset for atleast 1 tap(s) when the watersupply pressure is insufficient. Integrated with Type AB air gap with overflow connection in 75 mm Material Tank: PE Xilent X3 Pump Silent Operational pump with Varying Speed Drive Self Priming Option Built-in 10 l Tank storage tank emptying and Filling under Pressure difference Rotating Inlet & Outlet Connections Integrated with Alarms against Dry run, excessive pressure buildup and overheating of pump Designed to be used for residential applications in roof tanks, break tanks, rainwater tank etc.

Genererad den: 06/10/2025

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>