

**Profec Slangstos mässing 1/4"  
x 11 mm utvändig gänga x  
slangkoppling 40bar type  
konisk tätning (0423203)**



# TEKNISKA SPECIFIKATIONER

|                |                                |
|----------------|--------------------------------|
| Typ            | konisk tätning                 |
| Material       | mässing                        |
| Anslutning     | utvändig gänga x slangkoppling |
| Max temperatur | 120 °C                         |
| Tryck          | 40 bar                         |
| Max temp.      | 120 °C                         |
| Storlek        | 1/4" x 11 mm                   |
| Skruvnyckel    | 17                             |

## DIMENSIONER


|      |       |
|------|-------|
| Dq-2 | 11 mm |
| F-1  | 7 mm  |
| L    | 50 mm |
| Lb   | 50 mm |
| Lq-2 | 24 mm |
| Nq-2 | 2     |
| P-1  | 24 mm |

ØDi-1 9 mm

ØDi-2 9 mm

ØDo-1 1/4 "

ØDo-2 11 mm



**Genererad den: 23/05/2026**

Bevo Nordic A/S  
Pakhusgården 54  
5000 Odense C  
Danmark  
+45 66 19 25 45  
[info@bevo.dk](mailto:info@bevo.dk)  
<http://www.bevo.com>