DAB jet-pump rostfritt stål 304 1" invändig gänga 8bar 6,2A 230VAC grön självsugande med tryckkontroll type JETINOX 112 Control D (7030931)



DAB
MAKING WATER EASY

bevo
bringing water to life

TEKNISKA SPECIFIKATIONER

Färg	grön
Material	rostfritt stål 304
Pump body	rostfritt stål 304
Material impeller 1	teknopolymer A
Modell	självsugande med tryckkontroll
Anslutning	invändig gänga
Volt	230VAC
Max temperatur	35 °C
Minste mellantemperatur (kontinuerlig)	0 °C
Tryck	1 "
Max omgivelsetemperatur	40 °C
Sug	1 "
Typ	JETINOX 112 Control D
MWC	53,8 m
Storlek	1"
WebshopURL	https://www.bevo.com/sv-se/dab-jet-pump-rostfritt-staal-304-1-invaendig-gaenga-8bar-6-2a-230vac-groen-


sjaelvsugande-med-tryckkontroll-type-jetinox-112-control-d-7030931


Effekt	0.75 kW
Ampere	6,2 A
Max flow rate	3.6 m^3/h
BEP Capacity	2.4
BEP Head	39.2
PORlh	45.1
PORhh	35.1
PORlq	1.7
PORhq	2.9


DIMENSIONER

Cb-1	102.5 mm
Cb-1	144 mm
Cl-1	122 mm
Cr-1	89 mm
Ct-1	102.5 mm
G	111 mm

H	197 mm
H	197 mm
L	424 mm
L	440 mm
LM	409 mm
Mr	207 mm
O	9 mm
W-1	174 mm
ØDi-1	1 "
ØDi-2	1 "







PRODUKTINFORMATION

Installation: Horizontal, Fixed. Operating range: from 0.4 to 4.8 m3/h with head up to 53 metres. Suitable for pumping water with low levels of sand inpurities. Self priming centrifugal pumps with excellent suction capacity even when air bubbles are present.

Genererad den: 02/11/2026

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
http://www.bevo.com

bevo
bringing water to life